



CISCO CATALYST 3750 SERIES GIGABIT ETHERNET SWITCHES WITH IEEE 802.3AF POWER OVER ETHERNET

Cisco Systems® is pleased to introduce four new 10/100/1000 switch models for the Cisco® Catalyst® 3750 Series

The Cisco Catalyst 3750 Series is an innovative product line that improves LAN operating efficiency by combining industry-leading ease of use and the highest resiliency available for stackable switches. This product series represents the next generation in desktop switches, and features Cisco StackWise™ technology, a 32 Gbps stack interconnect that allows customers to build a unified, highly resilient switching system—one switch at a time.

The following new configurations have been added to the Cisco Catalyst 3750 Series:

- Cisco Catalyst 3750G-48TS—48 Ethernet 10/100/1000 ports plus 4 SFP uplinks
- Cisco Catalyst 3750G-48PS—48 Ethernet 10/100/1000 ports with IEEE 802.3af PoE and 4 SFP uplinks
- Cisco Catalyst 3750G-24TS-1U—24 Ethernet 10/100/1000 ports plus 4 SFP uplinks in 1 rack unit (RU) height
- Cisco Catalyst 3750G-24PS—24 Ethernet 10/100/1000 ports with IEEE 802.3af PoE and 4 SFP uplinks

The Cisco Catalyst 3750 Series is available in the standard multilayer software image (SMI) or the enhanced multilayer software image (EMI). The SMI feature set includes advanced quality of service (QoS), rate limiting, access control lists (ACLs), and basic static and Routing Information Protocol (RIP) functions. The EMI provides a richer set of enterprise-class features, including advanced hardware-based IP Unicast and IP Multicast routing.

ORDERING INFORMATION

Table 1 gives ordering information for the new Cisco Catalyst 3750 Series Switches.

Table 1. Ordering Information for the Cisco Catalyst 3750 Series Switches

Model Number	Product Description
WS-C3750G-48TS-E	<ul style="list-style-type: none">• 48 10/100/1000 ports plus 4 SFP uplinks• 32 Gbps, high-speed stacking bus• Innovative stacking technology• 1 RU stackable multilayer switch• Enterprise-class network services delivered to the network edge• EMI installed• Full dynamic IP routing provided
WS-C3750G-48TS-S	<ul style="list-style-type: none">• 48 10/100/1000 ports plus 4 SFP uplinks• 32 Gbps, high-speed stacking bus• Innovative stacking technology• 1 RU stackable multilayer switch• Enterprise-class network services delivered to the network edge• SMI installed• Basic RIP and static routing, upgradable to full dynamic IP routing

Model Number	Product Description
WS-C3750G-48PS-E	<ul style="list-style-type: none"> • 48 10/100/1000 ports plus 4 SFP uplinks • 32 Gbps, high-speed stacking bus • Innovative stacking technology • 1 RU stackable multilayer switch • Enterprise-class network services delivered to the network edge • IEEE 802.3af and Cisco prestandard PoE • EMI installed • Full dynamic IP routing provided
WS-C3750G-48PS-S	<ul style="list-style-type: none"> • 48 10/100/1000 ports plus 4 SFP uplinks • 32 Gbps, high-speed stacking bus • Innovative stacking technology • 1 RU stackable multilayer switch • Enterprise-class network services delivered to the network edge • IEEE 802.3af and Cisco prestandard PoE • SMI installed • Basic RIP and static routing, upgradable to full dynamic IP routing
WS-C3750G-24TS-E1U	<ul style="list-style-type: none"> • 48 10/100/1000 ports plus 4 SFP uplinks • 48 10/100/1000 ports plus 4 SFP uplinks • Innovative stacking technology • 1 RU stackable multilayer switch • Enterprise-class network services delivered to the network edge • EMI installed • Full dynamic IP routing provided
WS-C3750G-24TS-S1U	<ul style="list-style-type: none"> • 48 10/100/1000 ports plus 4 SFP uplinks • 32 Gbps, high-speed stacking bus • Innovative stacking technology • 1 RU stackable multilayer switch • Enterprise-class network services delivered to the network edge • SMI installed • Basic RIP and static routing, upgradable to full dynamic IP routing
WS-C3750G-24PS-E	<ul style="list-style-type: none"> • 48 10/100/1000 ports plus 4 SFP uplinks • 32 Gbps, high-speed stacking bus • Innovative stacking technology • 1 RU stackable multilayer switch • Enterprise-class network services delivered to the network edge • IEEE 802.3af and Cisco prestandard PoE • EMI installed • Full dynamic IP routing provided
WS-C3750G-24PS-S	<ul style="list-style-type: none"> • 48 10/100/1000 ports plus 4 SFP uplinks • 32 Gbps, high-speed stacking bus • Innovative stacking technology • 1 RU stackable multilayer switch

Model Number	Product Description
	<ul style="list-style-type: none">• Enterprise-class network services delivered to the network edge• IEEE 802.3af and Cisco prestandard PoE• SMI installed• Basic RIP and static routing, upgradable to full dynamic IP routing

PRODUCT AVAILABILITY

The new Cisco Catalyst 3750 Series switches will be available in November 2004.

CISCO CATALYST 3750 SERIES

For more information about the Cisco Catalyst 3750 Series, visit: <http://www.cisco.com/go/catalyst3750>.

SERVICE AND SUPPORT

Cisco SMARTnet[®] maintenance contracts are available for the Cisco Catalyst 3750 Series switches. For more information about Cisco SMARTnet offerings, visit:

http://www.cisco.com/en/US/products/svcs/ps3034/ps2827/ps2978/serv_home.html



Corporate Headquarters

Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
www.cisco.com
Tel: 408 526-4000
800 553-NETS (6387)
Fax: 408 526-4100

European Headquarters

Cisco Systems International BV
Haarlerbergpark
Haarlerbergweg 13-19
1101 CH Amsterdam
The Netherlands
www-europe.cisco.com
Tel: 31 0 20 357 1000
Fax: 31 0 20 357 1100

Americas Headquarters

Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
www.cisco.com
Tel: 408 526-7660
Fax: 408 527-0883

Asia Pacific Headquarters

Cisco Systems, Inc.
168 Robinson Road
#28-01 Capital Tower
Singapore 068912
www.cisco.com
Tel: +65 6317 7777
Fax: +65 6317 7799

Cisco Systems has more than 200 offices in the following countries and regions. Addresses, phone numbers, and fax numbers are listed on **the Cisco Web site at www.cisco.com/go/offices.**

Argentina • Australia • Austria • Belgium • Brazil • Bulgaria • Canada • Chile • China PRC • Colombia • Costa Rica • Croatia • Cyprus • Czech Republic • Denmark • Dubai, UAE • Finland • France • Germany • Greece • Hong Kong SAR • Hungary • India • Indonesia • Ireland • Israel • Italy • Japan • Korea • Luxembourg • Malaysia • Mexico • The Netherlands • New Zealand • Norway • Peru • Philippines • Poland • Portugal • Puerto Rico • Romania • Russia • Saudi Arabia • Scotland • Singapore • Slovakia • Slovenia • South Africa • Spain • Sweden • Switzerland • Taiwan • Thailand • Turkey • Ukraine • United Kingdom • United States • Venezuela • Vietnam • Zimbabwe

Copyright © 2004 Cisco Systems, Inc. All rights reserved. CCIP, CCSP, the Cisco *Powered* Network mark, Cisco Unity, Follow Me Browsing, FormShare, and StackWise are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn, and iQuick Study are service marks of Cisco Systems, Inc.; and Aironet, ASIST, BPX, Catalyst, CCDA, CCDP, CCIE, CCNA, CCNP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, the Cisco IOS logo, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Empowering the Internet Generation, Enterprise/Solver, EtherChannel, EtherSwitch, Fast Step, GigaStack, Internet Quotient, IOS, IP/TV, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, LightStream, Linksys, MGX, MICA, the Networkers logo, Networking Academy, Network Registrar, *Packet*, PIX, Post-Routing, Pre-Routing, RateMUX, Registrar, ScriptShare, SlideCast, SMARTnet, StrataView Plus, Stratum, SwitchProbe, TeleRouter, The Fastest Way to Increase Your Internet Quotient, TransPath, and VCO are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Web site are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0402R) 204108.23_ETMG_CC_11.04